

# Suprasel Fine nitrite 0.6% NaNO<sub>2</sub>

Material number: 4889

## Product

Sodium Chloride Salt (%)	99.45	Calculated
Sodium Nitrite (%)	0.5 - 0.6	SMA 255.02
Anticaking agent E535 expressed as K <sub>4</sub> Fe(CN) <sub>6</sub> (≤ mg/kg)	10	SMA 251.01
Adherent moisture (≤ %)	0.15	SMA 280.03
Sodium - Na (%)	39.3	Calculated
Insolubles (≤ mg/kg)	20	SMA 116.05

## Sodium Chloride purity

Typical, based on dry vacuum salt

Sodium Chloride - NaCl (%)	99.9	SMA 775.02
Sulfate - SO <sub>4</sub> (mg/kg)	1100	SMA 792.02
Potassium - K (mg/kg)	70	SMA 792.02
Calcium - Ca (mg/kg)	15	SMA 792.02
Free Iron - Fe (mg/kg)	0.3	SMA 104.28
Magnesium - Mg (mg/kg)	0.5	SMA 792.02
Copper - Cu (mg/kg)	0.1	SMA 792.02
Heavy metals expressed as Pb (≤ mg/kg)	2	SMA 792.02

Digit group separator: 1,000.00

Meet standards for food grade salt according to: Codex Alimentarius CX STAN 150-1985, rev 1-1997, Amend 1-1999, amend 2-2001, amend 3-2006.

Free from: GMO, Allergens (incl gluten), pathogens and residues of insecticides.

CAS number: 7647-14-5, EINECS/ELINCS No.: 231-598-3

Origin of salt: Denmark. Produced in Denmark.

## Physical properties

Typical Particle size, segregation may occur (SMA 721.04).

≤ 0.125 mm	1 %	
0.125 - 0.500 mm	84 %	
0.500 - 1 mm	15 %	
> 1 mm	0 %	
Bulk density (kg/m <sup>3</sup> )	1250	SMA 243.04

## Shelflife and storing conditions

Shelflife (years)	3
Storing conditions	Store clean and dry

## Delivery Unit

PE bag 25kg x 48

Pallet	Wooden Euro Pallet (80 x 120cm) + Foil
Units per layer	6
Number of layers	8
Net weight (kg)	1200
Gross weight (kg)	1228
Pallet outer dimensions (mm)	1200 x 800 x 1030
EAN single unit	5701027000039

Certified QM system

HACCP integrated

ISO 9001 / 14001

FSSC 22000

Distributor stamp

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Mariager Salt Specialties A/S | Hadsundvej 17 | 9550 | Mariager | Denmark | salesassistantssalt@salins.com